EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	709/225.ccls. and parlay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/09 15:13
L2	2	709/225.ccls. and parlay and (session adj initiation adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/09 15:13
L3	42754	Creamer.in. or Hilf.in. or Katz. in. or Moore.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/09 15:15
L4	47	(Creamer.in. or Hilf.in. or Katz.in. or Moore.in.) and parlay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/09 15:15
L5	25	(Creamer.in. or Hilf.in. or Katz.in. or Moore.in.) and parlay and ((session adj initiation adj protocol) or SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/09 15:15
S1	68	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/30 15:05
S3	21	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:00
S4	4861	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/17 15:43
S5	208	S4 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:01

S6	351	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:27
S7	23	S6 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20
S8	637	mobile same (plurality adj3 network) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:32
S9	18	mobile same (plurality adj3 network) same wlan and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:34
S10	11	mobile same (plurality adj3 network) same wlan and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:46
S11	12	mobile same (plurality adj3 network) and wlan and convert and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:51
S13	398	mobile and handoff and convert and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:54
S17	1370	mobile and (plurality adj3 network$5) and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:40
S19	307	S17 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:57
S20	118	mobile and handoff and (detect WITH network) and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 11:12

S21	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:26
S22	31	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:26
S23	79	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:19
S24	79	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:19
S25	5	S24 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S26	1370	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S27	129	S26 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:28
S28	4	S27 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S30	1	("2001086547").PN.	JPO	OR	OFF	2007/04/03 08:28

S31	15	S26 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 13:33
S32	351	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20
S33	50	S32 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20
S34	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/04/04 10:14
S36	6	S34 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/04/04 10:18
S37	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/04 10:18
S38	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:12
S39	15	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/08 14:22

		2389005-$).did. or (JP-2001086547-$).did.				
S41	5	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:41
S42	12	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:46
S43	6	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:52
S44	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:55
S46	67	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:56
S47	3	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:05
S52	13	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat $5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:40
S55	535	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:41

S56	185	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:48
S57	36	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 16:01
S58	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:10
S59	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:26
S61	5	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:28
S62	15	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:28
S64	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:21
S66	5	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:21

S67	27	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:15
S68	8	S67 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:38
S72	3	S67 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:43
S74	60	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/17 15:49
S76	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 09:47
S77	8	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/08/20 09:54

S78	26227	(709/220-222,227-237,249|370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 10:52
S79	5840	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 10:52
S80	34	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 09:53
S81	7	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 09:53
S82	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:11
S83	20	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:13
S84	2361	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:11
S85	208	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:12
S86	7	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:15

S89	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/25 12:21
S90	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 13:33
S91	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:51
S92	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 10:19
S93	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 10:27
S94	87	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S95	21	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S96	4877	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S97	209	S96 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S98	354	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S99	23	S98 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S100	639	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S101	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S102	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S103	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S104	398	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S105	1370	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S106	307	S105 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S107	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S108	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S109	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S110	82	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S111	82	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S112	5	S111 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S113	1370	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S114	129	S113 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S115	4	S114 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S117	1	("2001086547").PN.	JPO	OR	OFF	2008/02/06 10:39

S118	15	S113 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S119	354	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S120	50	S119 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S121	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S123	6	S121 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S124	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/06 10:39
S125	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S126	15	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39

		2389005-$).did. or (JP-2001086547-$).did.				
S128	5	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S129	12	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S130	6	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S131	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S133	71	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S134	4	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S138	13	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat $5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S141	567	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S142	193	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S143	41	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S144	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S145	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S147	8	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S148	19	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S150	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S152	5	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S153	27	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S154	8	S153 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S158	3	S153 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S160	60	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S162	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S163	8	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/06 10:39

S164	28133	(709/220-222,227-237,249| 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S165	6302	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S166	34	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S167	8	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S168	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S169	20	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S170	2374	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S171	209	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S172	7	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S175	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 10:39
S176	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S177	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S178	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S179	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S180	106	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S181	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S182	4692	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S183	209	S182 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S184	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S185	22	S184 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S186	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S187	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S188	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S189	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S190	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S191	1362	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S192	308	S191 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S193	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S194	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S195	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S196	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S197	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S198	5	S197 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S199	1362	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S200	129	S199 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S201	4	S200 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S203	1	("2001086547").PN.	JPO	OR	OFF	2008/09/09 12:25

S204	15	S199 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S205	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S206	48	S205 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S207	12	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S209	6	S207 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S210	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 12:25
S211	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S212	14	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25

		2389005-$).did. or (JP-2001086547-$).did.				
S214	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S215	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S216	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S217	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S219	76	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S220	5	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S224	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat$5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S227	609	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S228	209	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S229	45	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S230	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S231	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S233	10	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S234	24	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S236	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S238	5	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S239	26	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S240	8	S239 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S244	3	S239 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S246	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S248	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S249	8	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/09/09 12:25

S250	30957	(709/220-222,227-237,249| 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S251	6827	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S252	51	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S253	14	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S254	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S255	20	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S256	2669	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S257	246	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S258	8	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S261	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/09 12:25
S262	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S263	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S264	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S265	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S266	106	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S267	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S268	4692	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S269	209	S268 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S270	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S271	22	S270 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S272	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S273	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S274	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S275	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S276	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S277	1362	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S278	308	S277 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S279	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S280	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S281	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S282	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S283	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S284	5	S283 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S285	1362	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S286	129	S285 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S287	4	S286 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S289	1	("2001086547").PN.	JPO	OR	OFF	2008/09/09 12:25

S290	15	S285 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S291	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S292	48	S291 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S293	12	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S295	6	S293 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S296	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 12:25
S297	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S298	14	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25

EAST Search History

		2389005-$).did. or (JP-2001086547-$).did.				
S300	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S301	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S302	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S303	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S305	76	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S306	5	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S310	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat$5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S313	609	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S314	209	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S315	45	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S316	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S317	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S319	10	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S320	24	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S322	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S324	5	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S325	26	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S326	8	S325 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S330	3	S325 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
S332	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S334	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S335	8	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/09/09 12:25

S336	30957	(709/220-222,227-237,249|370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S337	6827	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S338	51	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S339	14	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S340	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S341	20	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S342	2669	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S343	246	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S344	8	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

S347	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/09 12:25
S348	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S349	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S350	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S351	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S352	123	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S353	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S354	4695	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S355	209	S354 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22

S356	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S357	22	S356 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S358	637	mobile same (plurality adj3 network) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S359	18	mobile same (plurality adj3 network) same wlan and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S360	11	mobile same (plurality adj3 network) same wlan and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S361	12	mobile same (plurality adj3 network) and wlan and convert and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S362	397	mobile and handoff and convert and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S363	1364	mobile and (plurality adj3 network$5) and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S364	308	S363 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S365	118	mobile and handoff and (detect WITH network) and @ad< = "20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22

S366	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S367	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S368	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S369	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S370	5	S369 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S371	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S372	129	S371 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S373	4	S372 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S375	1	("2001086547").PN.	JPO	OR	OFF	2009/07/30 10:22

S376	15	S371 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S377	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S378	48	S377 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S379	8	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:22
S381	4	S379 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:22
S382	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 10:22
S383	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S384	9	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:22

		2389005-$).did. or (JP-2001086547-$).did.				
S386	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S387	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S388	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S389	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S390	0	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and parlay and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S391	79	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S392	6	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S396	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat$5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22

S399	646	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S400	219	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S401	51	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S402	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S403	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S405	13	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S406	29	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S408	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S410	6	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22

S411	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:22
S416	3	S411 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:22
S418	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S420	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S421	3	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/07/30 10:22
S422	35515	(709/220-222,227-237,249| 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22

S423	7645	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S424	66	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S425	17	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S426	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S427	21	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S428	3172	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S429	300	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S430	13	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S433	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/30 10:22

S434	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S435	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S436	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:22
S437	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S438	123	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S439	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S440	4695	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S441	209	S440 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S442	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S443	22	S442 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S444	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S445	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S446	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S447	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S448	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S449	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S450	308	S449 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S451	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S452	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S453	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S454	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S455	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S456	5	S455 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S457	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S458	129	S457 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S459	4	S458 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S461	1	("2001086547").PN.	JPO	OR	OFF	2009/07/30 10:23
S462	15	S457 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S463	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S464	48	S463 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S465	8	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S467	4	S465 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S468	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 10:23
S469	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S470	9	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S472	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S473	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S474	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S475	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S477	79	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S478	6	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S482	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat $5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S485	646	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S486	219	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S487	51	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S488	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S489	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S491	13	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S492	29	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S494	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S496	6	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S497	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23

		20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.				
S498	4	S497 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S502	3	S497 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S504	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S506	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S507	3	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/07/30 10:23
S508	35515	(709/220-222,227-237,249 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S509	7645	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S510	66	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S511	17	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S512	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S513	21	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S514	3172	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S515	300	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S516	13	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S519	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/30 10:23
S520	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S521	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S522	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S523	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S524	123	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S525	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S526	4695	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S527	209	S526 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S528	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S529	22	S528 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S530	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S531	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S532	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S533	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S534	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S535	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S536	308	S535 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S537	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S538	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S539	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S540	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S541	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S542	5	S541 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S543	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S544	129	S543 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S545	4	S544 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S547	1	("2001086547").PN.	JPO	OR	OFF	2009/07/30 10:23
S548	15	S543 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S549	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S550	48	S549 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S551	8	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S553	4	S551 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S554	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 10:23
S555	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S556	9	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S558	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S559	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S560	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S561	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S563	79	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat $5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S564	6	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat $5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S568	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat $5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S571	646	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S572	219	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S573	51	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S574	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S575	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S577	13	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S578	29	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S580	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S582	6	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S583	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23

		20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.				
S584	4	S583 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S588	3	S583 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S590	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S592	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S593	3	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/07/30 10:23
S594	35515	(709/220-222,227-237,249| 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S595	7645	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S596	66	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S597	17	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S598	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S599	21	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S600	3172	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S601	300	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S602	13	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S605	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/30 10:23
S606	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S607	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S608	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S609	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S610	123	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S611	19	vertical handoff and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S612	4695	mobile with (transmits adj3 information) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S613	209	S612 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S614	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S615	22	S614 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S616	637	mobile same (plurality adj3 network) and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S617	18	mobile same (plurality adj3 network) same wlan and @ad< = "20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S618	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S619	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S620	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S621	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S622	308	S621 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S623	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S624	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S625	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S626	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S627	84	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S628	5	S627 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S629	1364	mobile and (plurality adj3 network$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S630	129	S629 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S631	4	S630 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S633	1	("2001086547").PN.	JPO	OR	OFF	2009/07/30 10:23
S634	15	S629 and wlan and encapsulat$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S635	337	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S636	48	S635 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S637	8	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20010040874-$ or US-20030096614-$ or US-20020187780-$ or US-20030152049-$ or US-20050030973-$ or US-20050259676-$ or US-20030087655-$ or US-20010007551-$ or US-20020048266-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S639	4	S637 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S640	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 10:23
S641	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S642	9	(US-20020048266-$ or US-20040160919-$ or US-20040209615-$ or US-20030095523-$ or US-20050030973-$ or US-20020187780-$ or US-20030152049-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20050259676-$ or US-20030087655-$).did. or (US-6975604-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S644	6	SIP and token and refer and "802.11" and mobile and valid$6 and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S645	14	SIP and token and "802.11" and mobile and (valid$6 or authenticat$5) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S646	8	SIP and token and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S647	1	(SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S649	79	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat $5))and wireless and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S650	6	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid$6 or authenticat $5))and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S654	16	((SIP or session initiation protocol)) same (mobile same (valid$6 or authenticat $5)) and wireless and "802.11" and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S657	646	((SIP or session initiation protocol)) and (mobile same (valid$6 or authenticat$5)) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S658	219	((SIP or session initiation protocol)) and ((valid$6 or authenticat$5) adj5 mobile) and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S659	51	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S660	1	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S661	2	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S663	13	((valid$6 or authenticat$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S664	29	((SIP or session initiation protocol)) same ((valid$6 or authenticat$5)) with mobile with home and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S666	1	((valid$6 or authenticat$5)) same ((parlay)) with mobile and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S668	6	(((valid$6 or authenticat$5)) with mobile) and parlay and @ad<"20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S669	15	(US-20030095523-$ or US-20040209615-$ or US-20040160919-$ or US-20020048266-$ or US-20010040874-$ or US-20030096614-$ or US-20010007551-$ or US-20030105962-$ or US-20030087655-$ or US-20020187780-$ or US-20050096048-$ or US-20030212800-$ or US-20030172090-$ or US-20030152049-$ or US-20050064853-$ or US-20050030973-$ or US-20050259676-$ or US-20040260805-$ or US-20040193712-$ or US-	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23

		20040087307-$ or US-20030014668-$ or US-20030039237-$ or US-20040153525-$).did. or (US-6975604-$ or US-7184418-$).did. or (GB-2389005-$).did. or (JP-2001086547-$).did.				
S670	4	S669 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S674	3	S669 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/07/30 10:23
S676	61	"802.11" and "802.15" and authenticat$5 and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S678	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S679	3	(US-20030105962-$ or US-20050096048-$ or US-20040193712-$ or US-20030014668-$ or US-20040087307-$ or US-20050022007-$ or US-20040186901-$).did. or (US-7184418-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/07/30 10:23
S680	35515	(709/220-222,227-237,249| 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S681	7645	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S682	66	forward with authentication with token and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

S683	17	forward near3 authentication request and SIP and @ad>"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S684	3	forward near3 authentication request and SIP and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S685	21	forward with authentication with token and @ad<"20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S686	3172	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S687	300	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S688	13	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S691	11	("5317683" | "5491797" | "5541639" | "5574934" | "5642156" | "5859979" | "5949975" | "6006253" | "6336133" | "6339784" | "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/30 10:23
S692	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23
S693	9	US-8030067-$.DID. OR US-6487602-$.DID. OR US-6456852-$.DID. OR US-6580906-$.DID. OR US-6035193-$.DID. OR US-6097817-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 10:23

| S694 | 2 | "20050091344".did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/30 10:23 |
| S695 | 2 | "20030078961".did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/30 10:23 |

EAST Search History (Interference)

< This search history is empty>

6/9/2010 3:18:25 PM
C:\ Documents and Settings\ abaturay\ Alicia's Documents\ EAST Searches\ 10736389-sipauthenticationmobile.wsp